

merten

SPECIAL FLUSH-MOUNTED RANGE **ANTI-VANDALISM**

INDESTRUCTIBLE



ANTI-VANDALISM

TAKING THE HIT WHEN THE GOING GETS TOUGH



Merten developed a new design for the ANTI-VANDALISM range. The new straight forms can be integrated even more harmoniously and easier into the various types of buildings and styles.

Some situations are just too much for normal electrical installations. For example, when you shoot the ball in the thick of the action and it doesn't make the basket but hits the light switch instead. Fortunately, the ANTI-VANDALISM range is available for such cases.


This extremely resistant switch range has been specially developed for use under tough conditions: inside schools, sports halls, youth centres and public-access buildings for example. The ANTI-VANDALISM range can withstand blows, kicks, interference from tools and even fire.



Actual size



Theft proof: Seals to close off the screw holes that can only be drilled open



Indestructible: Thick-walled, coated metal frame, 1-gang, 2-gang and 3-gang

Robust: The metal upper rocker


Impossible to break into: The thick, insulated, coated aluminium die-cast metal covers and the metal frame are anchored to the wall



Available as accessory: E10 neon lamp in different colours

Perfect hold: 4 mm wall-fixing screws anchor the frame and inserts in the masonry

Secure, easy and quick to install for new installations: No time-consuming drilling in the masonry is necessary with the special size 60 mounting box with integrated screw fastenings and pointed dowel holes



THE ANTI-VANDALISM RANGE



Rocker switch



Schuko® socket-outlet with child protection



Socket-outlet with earthing pin and child protection



Antenna socket-outlet



Loudspeaker socket-outlet



Momentary/maintained-contact switch for roller shutters for semi-cylinder locks



XLR audio socket



RJ45 telephone connector

merten

Merten GmbH & Co. KG
P.O. Box 100653
D-51606 Gummersbach, Germany
Phone +49 2261 702-203
Fax +49 2261 702-328
export@merten.de
www.merten.com

